

Bond University  
Research Repository



## Test-enhanced learning improves learner attendance during a laparoscopic box trainer simulation program

Lowe, Belinda; Ng, Jessica; Jordan, Stephanie; Waynforth, David; Angstetra, Donald; Brazil, Victoria

*Published in:*  
Australian and New Zealand Journal of Obstetrics and Gynaecology

*DOI:*  
[10.1111/ajo.13528](https://doi.org/10.1111/ajo.13528)

*Licence:*  
CC BY-NC-ND

[Link to output in Bond University research repository.](#)

*Recommended citation(APA):*  
Lowe, B., Ng, J., Jordan, S., Waynforth, D., Angstetra, D., & Brazil, V. (2022). Test-enhanced learning improves learner attendance during a laparoscopic box trainer simulation program. *Australian and New Zealand Journal of Obstetrics and Gynaecology*, 62(4), 589-595. <https://doi.org/10.1111/ajo.13528>


### General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

## ORIGINAL ARTICLE

# Test-enhanced learning improves learner attendance during a laparoscopic box trainer simulation program

Belinda Lowe<sup>1,2</sup> , Jessica Ng<sup>1,3</sup>, Stephanie Jordan<sup>3</sup>, David Waynforth<sup>4</sup>, Donald Angstetra<sup>1,2</sup> and Victoria Brazil<sup>1</sup>

<sup>1</sup>Faculty of Health Sciences and Medicine, Bond University, Gold Coast, Australia

<sup>2</sup>Department of Obstetrics and Gynaecology, Gold Coast Hospital and Health Service, Southport, Australia

<sup>3</sup>Department of Surgery, Gold Coast Hospital and Health Service, Southport, Australia

<sup>4</sup>Faculty of Health Sciences, Bond University, Gold Coast, Australia

*Correspondence:* Dr Belinda Lowe, Faculty of Health Sciences and Medicine, Bond University, Gold Coast, Qld, Australia. Email: [belinda.lowe2@health.qld.gov.au](mailto:belinda.lowe2@health.qld.gov.au)

*Conflicts of interest:* The authors report no conflicts of interest.

Received: 31 December 2021;  
Accepted: 18 March 2022

**Background:** Laparoscopy is the gold standard approach for many surgical procedures, but it is a complex skill to learn. Laparoscopic simulation training may help, but it is unclear how to best engage trainees in these programs. Test-enhanced learning (TEL) uses regular, well-defined assessments of performance throughout the training phase of learning.

**Aim:** The aim of this study was to assess the effects of TEL on a laparoscopic simulation program involving a cohort of medical student volunteers.

**Materials and methods:** A prospective cohort study was performed with a convenience sample of 40 medical students. Students were recruited to participate in a ten-week laparoscopic simulation program. Twenty students participated in a laparoscopic surgical program with TEL ('TEL group'), and 20 students participated in a standard laparoscopic simulation program ('control group').

**Results:** Attendance in the TEL group was significantly higher than in the standard group (71 vs 51.5%,  $P = 0.03$ ). There was no difference between groups in mean time scores. Four themes were identified in qualitative data drawn from student surveys – personal traits and motivators, training context, clear goals and feedback enabling understanding of one's own performance.

**Conclusion:** Testing laparoscopic skills throughout a learning program, in conjunction with individualised feedback and tracking of learning trajectory, increases trainee attendance. Laparoscopic simulation training programs are encouraged to reflect on the pedagogic framework in which their procedural skills training operates.

**KEYWORDS**

laparoscopic simulation, laparoscopic surgery, surgical simulation, test-enhanced learning

## INTRODUCTION

There is evidence that laparoscopic simulation training is helpful for surgical skill development.<sup>1–5</sup> Trainees who utilise laparoscopic simulators have been reported to have a significant reduction in

operative time compared to trainees without access to simulation programs.<sup>5</sup> However, these outcomes are not uniform. Other trainee cohorts have failed to achieve either their training or practice goals through lack of engagement, and this risks poor return on investment from expensive training equipment. Simply having

This is an open access article under the terms of the [Creative Commons Attribution-NonCommercial-NoDerivs](https://creativecommons.org/licenses/by-nc-nd/4.0/) License, which permits use and distribution in any medium, provided the original work is properly cited, the use is non-commercial and no modifications or adaptations are made.

© 2022 The Authors. *Australian and New Zealand Journal of Obstetrics and Gynaecology* published by John Wiley & Sons Australia, Ltd on behalf of Royal Australian and New Zealand College of Obstetricians and Gynaecologists.

access to simulators is not sufficient to guarantee procedural performance improvement or motivation to complete simulation training.<sup>6,7</sup> Finding the optimal pedagogical framework in which to conduct training is important for laparoscopic simulation programs, but evidence-based guidance is lacking.

## BACKGROUND

Laparoscopy is the gold standard approach for many surgical procedures, but it is a complex skill to learn. Traditionally surgical trainees learned how to operate through apprenticeship with more senior surgeons, but changes in healthcare service delivery have made this approach challenging. High numbers of trainees in training programs, reduced working hours, increased number and complexity of operative procedures and reduced theatre exposure<sup>8</sup> have resulted in trainees reporting decreased confidence in performing procedures at the end of speciality training.<sup>9</sup>

Previous attempts to incentivise and increase surgical trainee utilisation of laparoscopic simulators have had mixed results. During the Incentivised Laparoscopy Practice Study (ILPS) by Nicol et al., surgical trainees were given a take-home portable laparoscopic simulator, online modules, metrics with personalised feedback and eCertificates to help assist primary operating opportunities.<sup>6</sup> Despite these incentivised efforts, the study found that there was generally poor engagement in the program. There are similar findings in other take-home laparoscopic box trainer projects, with up to half of the recruited trainees not completing the laparoscopic curricula despite access to take-home trainers.<sup>3,8</sup> Thinggaard et al. found trainees completing their take-home laparoscopic program practiced heavily at the initiation of the program and at the end, before final assessments, with very limited practice logged by trainees in the intermediate period.<sup>7</sup>

Following ILPS, Blackhall et al. performed a follow-up qualitative study to further understand the barriers to engagement with laparoscopic simulation.<sup>10</sup> They identified that competing commitments of surgical trainees was a major barrier to engagement with home-based simulation. Trainees reported preferring to focus on 'point scoring' for career progression and struggled to see the value in some of the laparoscopic tasks. They were also unsatisfied with automated metric feedback and wanted individual personal feedback from surgical supervisors. The study concluded that scheduled simulation sessions which provide trainees with the opportunity for direct surgical specialist feedback may improve engagement.

With 'best practice' so far elusive, other pedagogic strategies need consideration to enhance trainee engagement. Test-enhanced learning (TEL) has been demonstrated to be an effective strategy for knowledge development across a range of educational contexts.<sup>11</sup> TEL uses regular, well-defined assessments of performance throughout the training phase of learning.<sup>11</sup> Testing is considered to support learning by encouraging retrieval of information or skills and foster effortful and deliberate practice.<sup>12,13</sup> Regular testing also provides the opportunity for direct

and specific feedback from a supervisor with clearly benchmarked goals.<sup>12,13</sup> There is currently limited experience with the use of TEL in complex procedural work.<sup>14</sup>

## Our three study questions were the following:

1. Does the addition of TEL accelerate technical performance in a cohort of novice learners?
2. Does TEL increase learner engagement in a laparoscopic surgical program?
3. How do learners perceive the TEL experience in a laparoscopic simulation program?

## MATERIALS AND METHODS

A prospective cohort study comparing medical student learner groups undertaking laparoscopic training with and without TEL was performed at a Queensland University, within the Faculty of Health Sciences and Medicine. This project was reviewed by the Ethics Committee at Bond University, and an ethical waiver was granted (project BL02596). Written consent from all participants was obtained.

### Recruitment

All medical students from a single medical school were invited to participate in this study. Flyers and university social media were used to identify students interested in participating in the research project. The medical program currently has not included formal teaching of laparoscopic skills in the undergraduate degree.

Forty students were recruited and randomly allocated to two equal groups. Twenty students were allocated to a control group ('control group') performing a standard laparoscopic simulation program, and the remaining 20 students in the intervention group performed a laparoscopic simulation program with the addition of TEL ('TEL group').

### Study procedure

All students completed laparoscopic exercises on standard box trainers over a ten-week program. Students were asked to attend weekly face-to-face sessions with control and intervention groups. All students were provided a peer pair allocation for the duration of the program within their group. The sessions lasted 1 h, were performed on a weekend remote from student lectures and were facilitated by two to four surgical supervisors from general surgical and gynaecology clinical backgrounds. All students were provided with a laparoscopic program with ten exercises to complete; videos of the exercises to perform; and timed targets to achieve, with competent, advanced and elite levels identified

(Appendix 1.3). Students were encouraged to obtain a competent time with mastery of tasks before moving onto the next exercise.

Instruction from surgical supervisors was provided to all students at all ten face-to-face weekly sessions. Feedback was verbal and tailored to each individual student. Supervisors were the same for both the TEL and control groups. The TEL group was formally tested and timed at the conclusion of each weekly session whether they felt they had achieved mastery of task, and the timed attempts were video recorded. Testing occurred during the allocated session time. Feedback to the TEL group students utilised the timed recorded videos which allowed specific feedback of technique performance. The control group was tested only at the beginning and end of the ten-week program.

### Data collection

All students were timed on the thread transfer exercise at the beginning of the program and on four exercises at the end: thread transfer, paperclip untangle, glove capping and dice stack (see Table 1). We initially aimed for baseline assessment of multiple skills; however, students did not have sufficient dexterity and skill to time record the more complex exercises at the beginning of the study. In addition, the students in the intervention TEL cohort were formally 'tested' every week on the exercise they were allocated to complete.

### Data collection – other variables influencing trainee performance

Students completed a questionnaire at the beginning of the program, which included demographical details and a history of personal traits known to relate to hand-eye coordination, dexterity and improved baseline surgical ability identified in previous studies<sup>15–18</sup> (Appendix 1.1).

### Data collection – learner experience

All students completing the final week timings were invited to complete an end-of-project questionnaire, addressing acceptability of the proposed curricula and feasibility of the program (Appendix 1.2). The survey was developed by the study authors as we found no suitable psychometrically tested instruments.

**TABLE 1** Outline of the four exercises timed at the end of the laparoscopic simulation program

	Times to achieve (s)		
	Competent	Advanced	Elite
<i>Exercises to complete</i>			
Thread transfer	60	45	25
Dice stacking	90	60	32
Paper clip untangle	90	60	35
Glove tip capping	120	100	74

### Data analysis

Linear regression analyses were performed to test for significant differences in task completion times and attendance between TEL and control groups.  $\chi^2$  Tests were used to determine whether the TEL group was statistically different from the control group for characteristics or skills that could plausibly be associated with completion times. A *P*-value of 0.05 was considered significant.

### Survey data analysis

Three researchers (authors B.L., J.N. and B.V.) analysed the qualitative end-of-survey responses after completion of the study. We used an inductive approach, following the six-step process outlined by Braun and Clarke.<sup>19</sup> The material was independently reviewed by each researcher, who familiarised themselves with the data in Microsoft Word document form, identified key phrases and generated initial codes. The researchers then met and discussed candidate subthemes and themes identified in the data. Consensus was reached by iterative testing of the fit between codes and draft themes.

## RESULTS

### Descriptive statistics

Forty medical students participated in the program, with loss to follow-up due to attendance in the last session resulting in 23 individuals with complete data. Baseline demographical data were collected for both TEL and control groups. There was no statistically significant difference in group characteristics and pre-existing skills that could be plausibly associated with completion times (see Table 2). Small group numbers may have limited the interpretation of these variables between groups. Attendance in the TEL group was 143 out of 200 possible student attendances over the ten-week program, equating to 71% overall attendance. The control group had 103 attendances, equating to 51.5% attendance.

### Attendance

In a linear regression model attendance was significantly higher in the TEL group, *P* = 0.03. On average the TEL group attended two more sessions than the control group participants. Attendance in both groups declined with progression of the ten-week program; however, this was most marked in the control group (see Fig. 1).

### Task completion times


All students who attended in the final week were timed on exercises, including thread transfer, dice stack, paperclip untangle

**TABLE 2** Baseline characteristics of TEL and control groups

	TEL group N (%)	Control group N (%)	P-values
Sex			
Female (%)	9 (60%)	5 (62%)	0.94
Male (%)	6 (40%)	3 (38%)	
Age			
<18 (%)	0 (0%)	1 (12.5)	0.17
18–24 (%)	14 (93%)	5 (62.5%)	
25–34 (%)	1 (7%)	2 (25%)	
Handedness			
Right (%)	13 (86%)	8 (100%)	0.53
Left (%)	1 (7%)	0 (0%)	
Ambidextrous (%)	1 (7%)	0 (0%)	
Assisted in laparoscopic surgery			
Yes (%)	5 (33%)	1 (13%)	0.39
No (%)	10 (67%)	7 (87%)	
Interested in surgery			
Yes (%)	13 (85%)	7 (88%)	0.91
No (%)	2 (13%)	1 (12%)	
Woodwork			
Yes (%)	3 (20%)	1 (13%)	0.60
No (%)	12 (80%)	7 (87%)	
Plays musical instrument			
Yes (%)	8 (53%)	3 (38%)	0.57
No (%)	7 (47%)	5 (62%)	
Uses chopsticks			
Yes (%)	7 (46%)	5 (63%)	0.38
No (%)	8 (53%)	3 (37%)	
Plays competitive sport			
Yes (%)	8 (53%)	4 (50%)	1.00
No (%)	7 (47%)	4 (50%)	
Used surgical simulator			
Yes (%)	3 (20%)	1 (13%)	0.60
No (%)	12 (80%)	7 (87%)	
Plays video games			
Yes (%)	9 (60%)	4 (50%)	0.75
No (%)	6 (40%)	4 (50%)	

TEL, test-enhanced learning.

and glove capping. There was no difference between groups for mean time scores (see Table 3). Thread transfer was the only exercise tested at both the beginning and the end of the project. Both intervention and control groups had a significant improvement in mean times for thread transfer from the beginning to the end of the project, but there was no statistically significant difference between the groups' mean time scores at the end of the project. Attendance was not a statistically significant predictor of task completion times.

**FIGURE 1** Attendance across the ten-week program.**TABLE 3** Performance of TEL and control groups

	TEL group	Control	P-value
Participant number N	20	20	
Attendance			
Mean	8.5	7.8	0.03*
Standard deviation			
Range	6–10	6–10	
Participant number end of study N (%)	15 (75%)	8 (40%)	
Thread transfer time (s)			
Mean	42.8	47	0.44
Standard deviation	12.1	14	
Range	29–74	25–67	
Dice stacking time (s)			
Mean	39.1	49.6	0.32
Standard deviation	19.9	28.3	
Range	9–88	10–98	
Paperclip untangling time (s)			
Mean	45.1	73.8	0.08
Standard deviation	17.3	56.5	
Range	17–90	29–198	
Glove capping time (s)			
Mean	116.4	160.8	0.17
Standard deviation	50.3	94.4	
Range	38–221	37–354	

TEL, test-enhanced learning.

### Qualitative survey results

Nineteen survey responses were received — 13 responses were from the TEL group (13 of 15 participants who completed the study completed the survey 87%), and six responses were from the control group (six of nine participants who completed the study completed the survey 67%). Four themes were identified:

personal traits and motivation, training context, clear goals in the training process and feedback enabling understanding of one's own performance.

### Personal traits and motivation

Students listed motivators which they felt were important for progress in this program. Personal traits such as self-confidence, determination and competitiveness were frequently described.

*'Willingness to give a go, no matter how hard it was'*(TEL group).

*'Previous experience with things that involve hand-eye coordination and fine movement dexterity, eg, sports (tennis, squash), gaming (PC, console), music (piano)'*

(Control group).

*'Competitive traits both affected me positively and negatively. Being competitive made me try harder and attempt to be fast, however, I was less accurate when I was trying too hard'*

(Control group).

### Training context

Students listed factors relating to training context which they felt were associated with their performance including external pressures and stressors which tended to affect concentration and the ability to remain patient during tasks.

*'How tired I was feeling. How stressed I was. How easy the task is'* (TEL group).*'Outside stress made it difficult to concentrate at times'*

(TEL group).

*'Exams and rotations so had to miss some weeks'*

(TEL group).

### Clear goals in the training process

The impact and importance of clear goals were highlighted by many students. Testing was considered to help with clear identification of goals as they progressed. Students also reflected on the impact of unclear goals impeding performance.

*'I found testing helpful because timing gave an end goal for each session and something to strive for'*

(TEL group).

*'Having to be competent on one skill before progressing to the next allowed me to focus my energy and does gradually improve my overall skills'*

(TEL group).

*[with no clear goal] 'I switch exercises regularly so never get good at any'*

(Control group).

### Feedback enabling understanding of one's own performance

Many students commented on different techniques and methods they used to better their own performance. They also found testing useful to help determine whether their performance was progressing. Students also commented on feelings of reward in seeing their own progress develop.

*'Through trying different methods to achieve the tasks I found the "ideal" method that worked for me'*

(TEL group).

*'The testing was helpful – I performed better under pressure and gave a baseline of how I was progressing. It also gave something to strive towards and acted as a hurdle before moving to the next task'*

(TEL group).

## DISCUSSION

We found that the addition of TEL leads to a significant increase in learner attendance in a laparoscopic simulation program, but there was no change in the speed of performance of timed tasks. Students reported benefits of testing during procedural learning, including clear goal setting, increased motivation, self-reflection and understanding of their own performance.

Testing is well known to have a positive effect on learning and skill development.<sup>20</sup> TEL may compliment incentive strategies already trialled in laparoscopic simulation programs. Testing appears to encourage deliberate practice with clear objectives and goals. Feedback given during the testing process is often more specific, and quantitative measures or 'scores' of performance can be tracked for individual progress. Testing allows student performance to easily be benchmarked against 'best' or peer performance, which many go on to further motivate and increase engagement in a training program.

TEL is an important element of mastery learning, an approach that has also been well described in simulation-based medical education. Originally proposed by Benjamin Bloom, the Healthcare

Simulation Dictionary describes mastery learning as follows: 'A student must first practice and study to meet the predetermined level criteria (>90%) through the formative assessment of a prerequisite domain prior to advancing in subject matter. If the learner does not achieve the level of mastery, information from the test is used to diagnose areas of deficiency necessary for additional prescriptive support and the student is later tested again. This cycle of feedback and corrective procedures is repeated until mastery is achieved at which point the student will move on to the next level'.<sup>21</sup> A key feature of mastery learning is allowing the student to progress following individualised learning curves. Testing is the vehicle to confirm (or not) 'mastery'. TEL does not require the predetermined criteria for a 'pass' but rather focuses on learning at every point along the learning curve.

Cook et al. performed a systematic review and meta-analysis on mastery learning for health professionals using technology-enhanced simulation<sup>22</sup> and concluded that mastery learning was associated with higher-learning outcomes. This effect was particularly large and statistically significant for procedural skills. However, mastery learning took longer than non-mastery learning, and there were increased logistical difficulties on teachers and trainees during the mastery-learning process. We suggest these disadvantages will also apply to our TEL approach. Further questions raised in the mastery-learning systematic review included variations in how competency is defined, how it is assessed and how practice phase is implemented and the regulation of progression to more advanced skills.

There are unanswered questions in our TEL approach for laparoscopic surgery simulation. Does testing need to be frequent and low stakes or infrequent and high stakes? Should the tests occur at points identified by the learner or at the request of the supervisor? Testing often has negative associations for learners – as an evaluative 'threat'. Testing to aid learning works to shift the paradigm from assessment *of* learning to assessment *for* learning (Martinez & Lipson 1989).<sup>12,23</sup> Frequent low-stakes testing helps de-emphasise the high-risk apprehension some learners describe related to summative assessments.<sup>13</sup> Several facilitation strategies may help, including allowing learners to test when they felt ready to do so, testing away from peers, asking learners to video record self-times and allowing repeat testing to further lower the stakes of the test.

Surprisingly, TEL in our cohort appeared to motivate learners to strive for performance beyond proficiency of task. Students were given 'competent, advanced and elite' times to aim for as per Table 1. The end TEL group mean times for thread transfer, dice stacking and paperclip exercises were all within the 'advanced' times. TEL students were aware of whether their own times were competent, advanced or elite as the study progressed due to the regular testing and benchmarking of performance. Several TEL students achieved 'elite' times for exercises on week-to-week timings. Despite clearly defining competency, many TEL students continued to practice and test beyond the competency goal. It is difficult to discern whether this effect was due to the process of testing or the very specific feedback and self-reflection involved in

watching videos of their own tested performance. Is 'mastery' of a task our goal, or is it fostering a lifelong striving for improvement? Both may be attainable.

Interestingly in our study, the students in the control group who did not have testing reported negative features of unstructured practice, including 'lack of concentration' and 'regularly switching of tasks so I never get good at any'. Observing this cohort of students, they appeared to 'play' with the equipment as opposed to deliberately practice tasks. It is possible that some of the problems encountered in engagement with other laparoscopic programs may be associated with trainees performing unstructured practice.

The themes we identified in our qualitative analysis included personal traits and motivation, training context, clear goals in the training process and feedback enabling understanding of one's own performance. It is not surprising that students reported the testing component to be particularly helpful in clear goal setting and assessment of whether their skills and performance were improving. The influence of personality traits on medical students' learning behaviour has been well explored.<sup>24</sup> A new question raised by our findings is whether participating in TEL approaches conversely shapes those traits throughout training.

There are several limitations to our study. Similar to other laparoscopic simulation programs, both the TEL and control groups had a reduction in student attendance in the mid portion of this project. The highest engagement levels were at the beginning and the end of the program, and this effect was most marked in the control group. This dropout rate is similar to other reported laparoscopic simulation studies.<sup>6-8</sup> This highlights that there appear to be barriers to engagement in laparoscopic simulation programs requiring further research in future.

This project was conducted with medical students as opposed to trainees. Working with a medical student cohort allowed us to achieve a larger participant number who uniformly had no prior laparoscopic experience. This is more challenging in the trainee cohort where numbers are smaller, and there is variability in surgical skill set across the trainee cohort. The observed effect of testing in the medical student cohort may be different from that in the trainee cohort. Our numbers were small, affecting our ability to study the impact of other (non-training-related) predictor variables on performance. Many laparoscopic simulation research programs have had similar small cohort numbers due to the difficulty in managing and recruiting a larger trainee cohort.<sup>2,4-8</sup>

Despite these limitations, our study has found that testing appeared to be a powerful tool to encourage deliberate practice and increase attendance and engagement in a laparoscopic simulation program. These findings may be helpful to other institutions considering curriculum design and training strategies for laparoscopic simulation programs. We raise new questions in defining mastery learning for laparoscopic skills, including the timing, nature and role of testing in mastery of laparoscopic procedures.

Testing of laparoscopic skills during the phase of learning in conjunction with individualised feedback and tracking of learning trajectory may increase trainee engagement with laparoscopic

simulation programs. Laparoscopic simulation training programs are encouraged to reflect on the pedagogic framework in which their procedural skills training operates.

## DECLARATIONS

This project was reviewed by the Ethics Committee at Bond University, and an ethical waiver was granted (project BL02596). Written consent from all participants was obtained.

## FUNDING INFORMATION

A Faculty of Health Sciences and Medicine Bond University grant of \$3500 was used to purchase two EoSIM laparoscopic simulation trainees to assist in the completion of this project. There was no additional funding outside of usual employment arrangements for the authors.

## AUTHOR CONTRIBUTION

B.L. designed the manuscript concept and contributed to data collection and writing and revising the manuscript. J.N. and S.J. contributed to data collection, initial manuscript drafts and revisions. D.W. provided statistical interpretation and support. D.A. contributed to revising the manuscript. V.B. provided overall project guidance and support and also contributed to writing and revising the manuscript.

## DATA AVAILABILITY STATEMENT

The data sets used and/or analysed during the current study are available from the corresponding author on reasonable request.

## ACKNOWLEDGEMENT

Open access publishing facilitated by Bond University, as part of the Wiley - Bond University agreement via the Council of Australian University Librarians.

## REFERENCES

- Zendejas B *et al.* Simulation-based mastery learning improves patient outcomes in laparoscopic inguinal hernia repair. *Ann Surg* 2011; **254**(3): 502–511.
- Ahlberg G *et al.* Proficiency-based virtual reality training significantly reduces the error rate for residents during their first 10 laparoscopic cholecystectomies. *Am J Surg* 2007; **193**(6): 797–804.
- Gurusamy KS, *et al.* Laparoscopic surgical box model training for surgical trainees with limited prior laparoscopic experience. *Cochrane Database Syst Rev* 2014, 3. Art. No.: CD010478.
- Chummun K *et al.* The influence of a 'take home' box trainer on laparoscopic performance for gynaecological surgeons. *Gynecol Surg* 2012; **9**: 303–308.
- Larsen C *et al.* Effect of virtual reality training on laparoscopic surgery: Randomised controlled trial. *BMJ* 2009; **338**: b1802.
- Nicol L *et al.* Incentivising practice with take-home laparoscopic simulators in two UK core surgical training programmes. *BMJ simulation & technology enhanced. Learning* 2016; **2**(4): 112.
- Thinggaard E *et al.* Take-home training in a simulation-based laparoscopy course. *Surg Endosc* 2017; **31**: 1738–1745.
- Wilson E *et al.* Improved laparoscopic skills in gynaecology trainees following a simulation-training program using take-home box trainers. *ANZJOG* 2019; **59**: 110–116.
- Obermair A *et al.* Survey of surgical skills of RANZCOG trainees. *ANZJOG* 2009; **49**(1): 84–92.
- Blackhall V *et al.* Barriers and facilitators to deliberate practice using take-home laparoscopic simulators. *Surg Endosc* 2019; **33**(9): 2951–2959.
- Larsen D, Butler A, Roediger H. Test-enhanced learning in medical education. *Med Education* 2008; **42**: 959–966.
- Schuwirth L, Van der Vleuten C. Programmatic assessment: From assessment of learning to assessment for learning. *Med Teach* 2011; **33**(6): 478–485.
- Watling C, Ginsburg S. Assessment, feedback and the alchemy of learning. *Med Educ* 2019; **53**: 76–85.
- Slomer A, Chenkin J. Does test-enhanced learning improve success rates of ultrasound-guided peripheral intravenous insertion? A randomised controlled trial. *AEM Educ Train* 2017; **1**(4): 310–315.
- Paschold M *et al.* Virtual reality laparoscopy: Which potential trainee starts with a higher proficiency level? *In J CARS* 2011; **6**: 653–662.
- Sammur M, Sammut M, Predrag A. The benefits of being a video gamer in laparoscopic surgery. *Int J Surg* 2017; **45**: 42–46.
- Middleton K *et al.* Improved nondominant hand performance on a laparoscopic virtual reality simulator after playing the Nintendo Wii. *Surg Endosc* 2013; **27**: 4224–4231.
- Adams B, Franklin M, Kaplan B. Comparing video games and laparoscopic simulators in the development of laparoscopic skills in surgical residents. *J Surg Educ* 2012; **69**: 714–717.
- Braun V, Clarke V. Using thematic analysis in psychology. *Qual Res Psychol* 2006; **3**(2): 77–101.
- Kromann C, Jensen M, Ringsted C. The effect of testing on skills learning. *Med Educ* 2009; **43**(1): 21–27.
- Lopreiato J. Society for Simulation in healthcare. <https://www.ssh.org/dictionary>. Society for simulation in healthcare; 2016. *Healthcare Simulation Dictionary*; p. 31
- Cook D *et al.* Mastery learning for health professionals using Technology-enhanced simulation: A systematic review and meta-analysis. *Acad Med* 2013; **88**: 1178–1186.
- Martinez M, Lipson J. Assessment for learning. *Educ Leadership* 1989; **v46 n7**: 73–75.
- Doherty E, Nugent E. Personality factors and medical training: A review of the literature. *Med Educ* 2011; **45**: 132–140.

## SUPPORTING INFORMATION

Additional supporting information may be found online in the Supporting Information section at the end of the article.

**Appendix S1.** Supporting Information.