




**BOND
UNIVERSITY**
TACTICAL RESEARCH UNIT

Building Resilience into the Legs

Rob Orr



DFC TACTICAL TRAINING VIRTUAL WORKSHOP

Contents

- Injuries
- Understanding the Anatomy...Physiology...Biomechanics
- Summation and application



Learning Outcomes


- Recognize anatomical, biomechanical, and physiological influences imparted by lower limb structures and their impacts on performance and injury risk.
- Produce an evidence-based strength and conditioning program for different tactical populations to increase neuromuscular resilience for the lower limbs



Contents

TACTICAL RESEARCH UNIT


Injuries



BOND UNIVERSITY
Rob Orr, PhD, MPhy, Ass Dip (Ex Sci), BFET, APAM, TSAC-F*D
Building resilience into the legs
www.tru.bond.edu.au

TACTICAL RESEARCH UNIT


Understanding the Anatomy, Physiology & Biomechanics



BOND UNIVERSITY
Rob Orr, PhD, MPhy, Ass Dip (Ex Sci), BFET, APAM, TSAC-F*D
Building resilience into the legs
www.tru.bond.edu.au

TACTICAL RESEARCH UNIT

Exercise Considerations





BOND UNIVERSITY
Rob Orr, PhD, MPhy, Ass Dip (Ex Sci), BFET, APAM, TSAC-F*D
Building resilience into the legs
www.tru.bond.edu.au

Injuries




Injuries

- Law Enforcement Injuries (*Lyons, et al., 2017*)




Injuries

- Law Enforcement Injuries (*Lyons, et al., 2017*)



Injuries

- Law Enforcement Injuries to the lower limbs (*Lyons, et al., 2021*)
 - Overall MSK lower extremity incidence rates were 10.8 injuries per 100 personnel/year overall;
 - 10.8 injuries per 100 personnel/year for male LEO, and
 - 11.0 injuries per 100 personnel/year for female LEO



Understanding the Anatomy, Physiology & Biomechanics



Understanding the Anatomy



- What is the purpose of this stretch?



Understanding the Anatomy

JAOA ORIGINAL CONTRIBUTION

Three-Dimensional Mathematical Model for Deformation of Human Fasciae in Manual Therapy

Hans Chaudhry, PhD; Robert Schleip, MA; Zhiming Ji, PhD; Bruce Bukiet, PhD; Miriam Maney, MS; and Thomas Findley, MD, PhD

Context: Although mathematical models have been developed for the bony movement occurring during chiropractic manipulation, such models are not available for soft tissue motion.

Objective: To develop a three-dimensional mathematical model for exploring the relationship between mechanical forces and deformation of human fasciae in manual therapy using a finite deformation theory.

Methods: The predicted stresses required to produce plastic deformation were evaluated for a volunteer subject's fascia lata, planar fascia, and superficial nasal fascia. These stresses were then compared with previous experimental findings for plastic deformation in dense connective tissues. Using the three-dimensional mathematical model, the authors determined the changing amounts of compression and shear produced in fascial tissue during 20 seconds of manual therapy.

Results: The three-dimensional model's equations revealed that very large forces, outside the normal physiologic range, are required to produce even 1% compression and 1% shear in fascia lata and planar fascia. Such large forces are not required to produce substantial compression and shear in superficial nasal fascia, however.

Conclusion: The palpable sensations of tissue release that are often reported by osteopathic physicians and other manual therapists cannot be due to deformations produced in the firm tissues of planar fascia and fascia lata. However, palpable tissue release could result from deformation in softer tissues, such as superficial nasal fascia.

J Am Osteopath Assoc. 2008;108:379-390

From the departments of Biomedical Engineering (Dr Chaudhry and Findley), Mechanical Engineering (Dr Ji), and Mathematical Sciences (Dr Bukiet) at the New Jersey Institute of Technology in Newark; the Department of Applied Physiology at Ulm University in Germany (Dr Schleip); and the War-Related Illness and Injury Study Center at the Veterans Affairs Medical Center in East Orange, NJ (Dr Chaudhry and Findley, Ms Maney).

This study was partially supported by a dissertation grant from the International Society of Biomechanics to Mr Schleip's Fascia Research Project. Address correspondence to Zhiming Ji, PhD, Department of Mechanical Engineering, New Jersey Institute of Technology, Newark, NJ 07102-1982. E-mail: jiz@njit.edu

Submitted March 23, 2006; revision received June 20, 2006; accepted August 10, 2006.

Chaudhry et al • Original Contribution

JAOA • Vol 108 • No 8 • August 2008 • 379


Fascia is dense fibrous connective tissue that connects muscles, bones, and organs, forming a continuous network of tissue throughout the body. It plays an important role in transmitting mechanical forces during changes in human posture. Several forms of manual fascial therapies—including myofascial release and certain other techniques in osteopathic manipulative treatment (OMT)—have been developed to improve postural alignment and other expressions of musculoskeletal dynamics.^{1,2} The purpose of these therapies and treatments is to alter the mechanical properties of fascia, such as density, stiffness, and viscosity, so that the fascia can more readily adapt to physical stresses.^{3,4} In fact, some osteopathic physicians and manual therapists report local tissue release after the application of a slow manual force to tight fascial areas.^{2,4,5} These reports have been explained as a breaking of fascial cross-links, a transition from gel to sol state in the extracellular matrix, and other passive viscoelastic changes of fasciae.^{2,4,5}

The question of whether the applied force and duration of a given manual technique (eg, myofascial) could be sufficient to induce palpable viscoelastic changes in human fasciae is unresolved, with some authors^{5,6} supporting the likelihood of such an effect and others^{7,8} arguing against it.

Our intent in undertaking the present study was to resolve this question. Therefore, we present an original mathematical model to determine if forces applied in manual therapy are sufficient to produce tissue deformation in human fasciae.

Background

The mechanical properties of *ex vivo* rat superficial fascia (ie, subcutaneous tissue) under uniaxial tension have been reported by Iatridis et al,⁹ who investigated the potential importance of uniaxial tension in a variety of therapies involving mechanical stretch. The mechanical properties of *in vitro* human superficial nasal fascia and nasal periosseum were investigated by Zeng et al¹⁰ to determine under which tissue layer silicon implants should be inserted for improved results in aesthetic surgical corrections of congenital saddle nose and flat nose. Similarly, the mechanical properties of *in vitro* fascia lata and planar fascia have been investigated by Wright and Rennels.¹¹ The results of each of these studies of fascial mechanical properties can be used in determining the types and strengths of mechanical forces needed to produce desired deformations during manual therapy.



<https://anytimeyoga.files.wordpress.com/2012/09/gray430.png>

Understanding the Anatomy



- What is the purpose of this exercise?




<http://static1.squarespace.com/static/551035e3e4b0961711e870fe/t/551c230be4b0e383d17282e7/1427907340268/foam-roll.jpg?format=1500w>

Understanding the Anatomy

- Are we effecting the ITB?
- So why do it?



<http://static1.squarespace.com/static/551035e3e4b0961711e870fe/t/551c230be4b0e383d17282e7/1427907340268/foam-roll.jpg?format=1500w>



<https://anytimeyoga.files.wordpress.com/2012/09/gray430.png>

<http://static1.squarespace.com/static/551035e3e4b0961711e870fe/t/551c230be4b0e383d17282e7/1427907340268/foam-roll.jpg?format=1500w>


Understanding the Anatomy / Physiology



- What exercises can you use to condition / recondition the hamstring?
- What Ranges of Motion do these exercises move the hamstring through?




<https://www.abc.net.au/news/2019-03-21/tayla-harris-trolls-arent-only-problem/10921784>



<http://www.abc.net.au/news/image/4250952-3x2-940x627.jpg>

Understanding the Physiology

- The Length-Tension Curve
 - A muscle's sarcomeres will develop most tension at between 90-110* of resting length.



Marieb, E. N., & Hoehn, K. (2019). Human anatomy & physiology. 11th Edition Pearson education, fig 9.19, pg. 339

Understanding the Physiology

- The Length-Tension Curve
 - It impacts on muscles worked



<http://www.bodybuilding.com/fun/2002/seatedcalfraise1.jpg>



<https://www.bodybuilding.com/content/leg-curls-done-light.html>



Understanding the Physiology



- Where is the muscle belly of the hamstrings?
- Which muscles are at optimal length?



Understanding the Physiology





<https://anytimeyoga.files.wordpress.com/2012/09/gray430.png>

<http://static1.squarespace.com/static/551035e3e4b0961711e870fe/t/551c230be4b0e383d17282e7/1427907340268/foam-roll.jpg?format=1500w>

Understanding the Physiology

- An effective stretch?




https://anytimeyoga.files.wordpress.com/2012/09/gray43_0.png


<http://static1.squarespace.com/static/551035e3e4b0961711e870fe/t/551c230be4b0e383d17282e7/1427907340268/foam-roll.jpg?format=1500w>

Understanding the Physiology

- The Force-Velocity Curve




Neumann, D. A. (2013). Kinesiology of the musculoskeletal system-e-book: foundations for rehabilitation. Elsevier Health Sciences. Fig 3-15, pg. 59



Kraemer, W. J., Fleck, S. J., & Deschenes, M. R. (2016). Exercise physiology: integrating theory and application. 2nd Edition. Lippincott Williams & Wilkins.

Understanding the Physiology

- The Force-Velocity Curve



Understanding the Exercise





- What squat would you choose to train the Gluteus Maximus?



Understanding the Exercise

- Right exercise, right technique but are the right muscles active?



<http://www.bartleby.com/107/Images/small/image434.jpg>

Understanding the Biomechanics

OKC vs CKC

CCK:

- Increased joint compressive forces
- Increased stability
- Decreased shear forces
- Decreased acceleration forces (see Force summation principle)
- Stimulation of proprioceptors
- Better muscle synergistic patterns
- *Proprioception, Joint Position Sense and Kinesthesia are vital to rehab*

Understanding the Biomechanics


OKC vs CKC

CCK:

- Pacinian Corpuscle – capsule – vibration/velocity
- Golgi-Mazzoni Corpuscle – joint capsule – compression*
*Insensitive to stretching
- Ruffini Endings – Capsule / Extrinsic Ligs.- stretching
- Golgi-Lig endings – Ext/Int Ligs. – stretching/tension
- Free nerve endings – capsule, ligs. fat pads – mech stress

Understanding the Biomechanics

OKC vs CKC



Brownstein & Bronner (1997), Fig 2-1 p.50

Understanding the Biomechanics

OKC vs CKC

OCC:

- Increased acceleration forces
- Increased joint distraction
- Promotion of functional activity?

Understanding the Biomechanics

OCK v CKC


- Both OCK and CKC are important
- The question is when to use them as part of conditioning



Understanding the Biomechanics

Reciprocal inhibition

- Describes the process of muscles on one side of a joint relaxing to accommodate contraction on the other side of that joint.



Understanding the Biomechanics


Roles of muscle in movement

- Agonist (leader) – Prime mover
- Antagonist (anti-leader)
- Synergist (works together)
- Fixator

Understanding the Biomechanics



Name the movement at the Hip and Knee during the squat and the muscle agonists?




<http://www.numetrex.com/our-pulse/wp-content/uploads/2014/07/squat.jpg>

Rob Orr, PhD, MPhy, Ass Dip (Ex Sci), BFET, APAM, TSAC-F*D
Building resilience into the legs

Understanding the Biomechanics

- | | | |
|------|-------------|----------------------------------|
| Hip | – Extension | – <u>Glutes & Hamstrings</u> |
| Knee | – Extension | – <u>Quads</u> |




<http://www.numetrex.com/our-pulse/wp-content/uploads/2014/07/squat.jpg>

Understanding the Biomechanics

Complex Synergies - Lombard's Paradox

- The longer the lever arm at the joint the more force it develops (e.g. 4.4cm for RF at knee and 3.4cm of Hamstring – Hence knee extension occurs).
- More muscle needed – shape of the Hamstrings (Longitudinal muscle)
Quads (Bipennate, Unipennate)



Understanding the Biomechanics




Name the movements of the Hip and Knee joints and the muscle agonists during:

- a squat
- a football kick

Understanding the Biomechanics

- Hip – Extension – Glutes & Hamstrings
- Knee – Extension – Quads





<http://www.numetrex.com/our-pulse/wp-content/uploads/2014/07/squat.jpg>

Rob Orr, PhD, MPhy, Ass Dip (Ex Sci), BFET, APAM, TSAC-F*D
Building resilience into the legs

Understanding the Biomechanics

Complex Synergies – Shifts

- In a concurrent movement, the biarticular muscle is an **agonist at one joint** and an **antagonist at another** simultaneously



Understanding the Biomechanics

- Hip – Flexion – Quads & Iliopsoas
- Knee – Extension – Quads




<http://www.numetrex.com/our-pulse/wp-content/uploads/2014/07/squat.jpg>

Rob Orr, PhD, MPhy, Ass Dip (Ex Sci), BFET, APAM, TSAC-F*D
Building resilience into the legs

Understanding the Biomechanics

Complex Synergies – Shifts:

- In a countercurrent movement, the biarticular muscle is an **agonist** at **both joints** simultaneously.



Understanding the Biomechanics

Complex Synergies – Shifts

- So which one do we train?



Understanding the Biomechanics

Complex Synergies – Shifts


- So which one do we train?



Understanding the Biomechanics

Synergy


- Optimal coordinated sequence of movement that allows for optimal velocity development
- Each segment begins to move the instant the previous segment begins to slow down



Understanding the Biomechanics

Segmental Summation of Velocity


- Optimal coordinated sequence of movement that allows for optimal velocity development
- Each segment begins to move the instant the previous segment begins to slow down



Elliott, B.C. Biomechanics in Sport in eds. Pyke, FS. Better Coaching, Australian Sports Commission, Figure 7-13, p.107

Understanding the Biomechanics

Balance Profile



Exercise Considerations



Exercise Considerations

MOI:

- Muscle stressing
- Slips, trips, falls

Exercise Considerations

Movement Patterns:

- Concurrent Shift
- Countercurrent Shift



Exercise Considerations

Movement Patterns:


- Segmental Summation of Velocity
- Variability in Movement

Take Home

- Need to consider the anatomical, biomechanical, and physiological influences imparted by lower limb structures when designing programs if you are to use an evidence-based approach to increase neuromuscular resilience for the lower limbs



Questions?






**BOND
UNIVERSITY**
TACTICAL RESEARCH UNIT

Building Resilience into the Legs

Rob Orr



DFC TACTICAL TRAINING VIRTUAL WORKSHOP