

Bond University
Research Repository



The consequences of malnutrition following discharge from rehabilitation to the community: A systematic review of current evidence in older adults

Marshall, Skye; Bauer, Judith Dorothea; Isenring, Elisabeth

Published in:
Nutrition and Dietetics

DOI:
[10.1111/1747-0080.12121](https://doi.org/10.1111/1747-0080.12121)

Licence:
CC BY-NC-ND

[Link to output in Bond University research repository.](#)

Recommended citation(APA):
Marshall, S., Bauer, J. D., & Isenring, E. (2014). The consequences of malnutrition following discharge from rehabilitation to the community: A systematic review of current evidence in older adults. *Nutrition and Dietetics*, 71(S1), 5. <https://doi.org/10.1111/1747-0080.12121>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

The consequences of malnutrition following discharge from rehabilitation to the community

A systematic review of current evidence in older adults
Journal of Human Nutrition and Dietetics (2013) 27, 133-141



Skye Marshall

PhD scholar UQ, C-DIET-R

Skye.Marshall@uq.net.au

CRICOS Provider No
00025B

Judy Bauer
Liz Isenring

c-diet-r
CENTRE FOR DIETETICS RESEARCH

Malnutrition

Food and nutrient intake is unable to meet requirements


↓ body weight

↓ body composition

↓ physical function



Malnutrition



Systematic Literature Review

AIM 1

“To determine the association between malnutrition in older adults admitted to rehabilitation and

- 1) *Nutrition status*
- 2) *Functional status*
- 3) *Quality of life*
- 4) *Institutionalisation (residential and long term aged care)*
- 5) *Acute care admissions*
- 6) *Mortality*

Once discharged to the community.”

AIM 2

“Explore the extent to which malnutrition-focused interventions may impact upon these post-discharge outcomes in older adults.”

rehabilitation




Background: The prevalence of malnutrition in the rehabilitation setting is

Databases

- ✓ CENTRAL
- ✓ CINAHL
- ✓ EMBASE

- ✓ Health Source: Nursing/Academic Edition
- ✓ PubMed
- ✓ Web of Science

Results

Charlton et al. (2012)	Australia 	Retrospective cohort study	N=469 2006 - 2009	III-3 – Prognosis evidence	+
Neumann et al. (2005)	Australia 	Prospective cohort study	N=133 2003	II – Prognosis evidence	∅
Nicosia et al. (2012)	Italy	Prospective cohort study	N=243 2007 - 2008	II – Prognosis evidence	+
Sullivan et al. (1991)	USA	Prospective cohort study	N=110 1987 - 1988	II- Aetiology evidence	+
Visvanathan et al. (2004)	Australia 	Prospective cohort study	N=65 2002 - 2003	II – Prognosis evidence	∅



Interventions

Results

Significance considered at $P < 0.05$

	Functional Status (n133)	Quality of Life (n133)	Institutionalisation (n667)	Acute Care (n534)	Mortality (n822)
Charlton 2012			↑	∅	↑
Neumann 2005	↓	↓	↑		
Nicosia 2012					∅
Sullivan 1991					∅
Visvanathan 2004			↑	↑	



Nutrition Status

Implications for future research


Malnutrition in rehabilitation



Malnutrition in community?

- Access to older adults in the **community**
- Is **intervention** effective in the long-term?

Conclusion



Thank you

