

Bond University
Research Repository



Using Simulations to Better Appreciate Game Outcomes: Implications for Bet Minimums and Maximums

Spence, Mark T.; Kale, Sudhir; Sugden, Stephen

Licence:
Free to read

[Link to output in Bond University research repository.](#)

Recommended citation(APA):

Spence, M. T., Kale, S., & Sugden, S. (2013). *Using Simulations to Better Appreciate Game Outcomes: Implications for Bet Minimums and Maximums*. The 15th International Conference on Gambling & Risk Taking, Las Vegas, Nevada, United States.

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

Using game simulations to shed insight into common gaming behaviours

Mark T. Spence

Sudhir Kale

Stephen Sugden

Bond University, Gold Coast, Australia

and GamePlan Consultants

www.gameplanconsultants.net

November 2012

Using game simulations to shed insight into common gaming behaviours

Fair games of chance, such as Baccarat, are *exact*: the relevant elements of randomness are known, hence probability theory can be applied to deduce outcomes, notably the *house advantage*.

However, applied probability theory can prove unwieldy for computing the outcome of everyday gambling behaviours, such as betting systems. For example: *how exposed is the house if a winning streak causes a highly skewed player-banker differential?*

Simulation is a proven way to assess possible outcomes in such situations.

Using game simulations to shed insight into common gaming behaviours

To start: Define the simulation parameters

Symbol	Meaning	Value	Domain
n_{max}	maximum number of games	50	
n	game number		$1 \leq n \leq n_{max}$
p	probability of success for player in 1 game	0.44625	
b	probability of success for banker in 1 game	0.45860	
t	probability of tie in 1 game	0.09515	
z_n	outcome on game n		$\{P, B, T\}$
L_n	current run length, game n		
F_n	final run length, game n		
R_n	bet of run follower on game n		$\{P, B\}$
x_n	betting index		$1 \leq x_n$

Using game simulations to shed insight into common gaming behaviours

Runs and their lengths

A run may be a Player run or a Banker run.

Example of Player run

We define a player run to be any contiguous sequence of outcomes beginning with a player win and containing no banker win. Ties may appear anywhere in a player run, but may not begin it. A run may be terminated by either a win for the Banker or by the last game (set at 50, the approximate number of plays in a shoe). We define the length of a player run to be simply the number of player wins in the run.

Using game simulations to shed insight into common gaming behaviours

Examples of various run lengths

Game #, n	41	42	43	44	45	46	47	48	49	50	Run Length
Example 1	P	P	P	P	P	B					5
Example 2	P	T	T	P	P	P	B				4
Example 3	P	T	T	T	B						1
Example 4	B	P	P	T	P	P	P	P	T	P	7

Using game simulations to shed insight into common gaming behaviours

The run follower

We propose the existence of a player who follows runs, and call him the run follower (RF). *Management in Macau suggest this is the case as evidenced by a widening differential.* On the first game he bets on Player or Banker with probability 0.5 each. Thereafter, he bets on the same outcome (P or B) as he did on the previous game, unless there is a run of length two on the "other side", in which cases he switches to that side.

RF will stay on the side of a run even if the run breaks. He will only switch allegiance if a run of length 2 becomes evident "on the other side".

Using game simulations to shed insight into common gaming behaviours

Example of following runs. Here, a follower run length of 5 is achieved – and the player would have *lost* that hand.

18	0.65	B	-1	0	B	1
19	0.97	T	-1	-1	B	2
20	0.24	P	1	0	B	2
21	0.13	P	2	0	B	1
22	0.08	P	3	0	P	1
23	0.30	P	4	4	P	2
24	0.61	B	-1	-1	P	3
25	0.24	P	1	0	P	1
26	0.32	P	2	0	P	2
27	0.09	P	3	0	P	3
28	0.95	T	3	0	P	4
29	0.37	P	4	4	P	4
30	0.79	B	-1	-1	P	5
31	0.40	P	1	0	P	1
32	0.14	P	2	2	P	2
33	0.63	B	-1	0	P	3
34	0.69	B	-2	0	P	1
35	0.91	T	-2	-2	B	1

Using game simulations to shed insight into common gaming behaviours

Betting patterns

The amount wagered for a hand is a function of the length of “winning runs”. We consider the following betting patterns: constant, linear, an actual observed pattern provided by a local establishment, and two hypothetical bet patterns (we created 2, but any patterns can be inserted).

Cumulative winnings/losses

We may now compute cumulative house profits (losses) for each of the betting patterns. *We could determine insights for wins/losses for individual hands.*

Using game simulations to shed insight into common gaming behaviours

Betting patterns examined. All patterns start with a bet of 100 'units'; the actuals follow an *S-shaped* betting pattern, levelling off at a run of length 10..

run length	Actuals1*	actuals2	actuals3	linear	constant
1	100	100	100	100	100
2	100	100	100	200	100
3	133	443	1200	300	100
4	315	1050	10500	400	100
5	728	2427	24267	500	100
6	1064	3547	35467	600	100
7	1596	5320	53200	700	100
8	2183	7277	72767	800	100
9	2911	9703	97033	900	100
10	3000	10000	100000	1000	100

Using game simulations to shed insight into common gaming behaviours

Insights from the simulation (30,000 shoes of 50 hands each). Performance from a single shoe that had a max run length of 5.

30000	Constant	Linear	Actual1	Actual2	Actual3
CURRENT SHOE					
Min bet	100	100	100	100	100
Max bet	100	500	728	2427	24267
Total bet (handle)	5000	8000	6190	10600	54367
Net player payout	-625	-1425	-1104	-2689	-16592
Min player payout	-100	-500	-728	-2427	-24267
Max player payout	100	400	315	1050	10500
RTP	-12.50%	-17.81%	-17.84%	-25.36%	-30.52%

Using game simulations to shed insight into common gaming behaviours

Outcome after 30,000 simulations (about a month's worth of play across 20 tables).

	CUMULATIVE				
Prizes	-1587370	-3045755	-2901008	-6693614	-50996036
Player Contribution	150000000	293756900	264054128	614046955	4521359306
RTP	-1.06%	-1.04%	-1.10%	-1.09%	-1.13%

	SUMMARY STATISTICS				
Min shoe revenue	-2635	-3535	-2635	-5334	-77278
Max shoe revenue	2460	17010	36446	121346	1213072
Median	-55	-375	-655	-2397	-18496
Mean	-53	-102	-97	-223	-1700
Std deviation	664	1559	2120	6813	67212
Skewness	0	1	5	5	5
Kurtosis	0	4	32	36	36

Using game simulations to shed insight into common gaming behaviours


This translates into 1,500,000 hands

	Player	Banker	Tie	TOTAL
Current outcomes	25	17	8	50
Cumulative outcomes	669438	687899	142663	1500000
Sim frequencies	0.44629	0.45860	0.095	1.000
Expected frequencies	0.44625	0.4586	0.095	1.000

Using game simulations to shed insight into common gaming behaviours

Frequency distribution of net player payouts across the 30,000 simulations. Escalating bets means the player is more likely to lose; but if they win, they can win large amounts. Note how the mode shifts left as the differential increases.

Player NET rel freq: 30000 simulations



Using game simulations to shed insight into common gaming behaviours

Betting patterns can result in “outcome reversals” relative to constant betting. This could result in interesting behavioural ramifications.

	Non-constant is better				Constant is better			
	Linear	Actual1	Actual2	Actual3	Linear	Actual1	Actual2	Actual3
#	1528	1093	1525	1957	3768	7529	8818	9217
%	0.051	0.036	0.051	0.065	0.126	0.251	0.294	0.307

Using game simulations to shed insight into common gaming behaviours

Conclusion

Regardless of differential (which can be used as a *product differentiation strategy*), the house advantage does not change; but the greater the differential, the greater the number of shoes that end with players losing and the more extreme are the payouts in the positive domain for players (the house paying out for a hand of play).

This simulation is therefore intended to help casino managers set betting limits that maximize total winnings while bearing in mind both the likelihood and magnitude of negative outcomes of increased differentials.

Using game simulations to shed insight into common gaming behaviours

Questions?

Thank you!

www.gameplanconsultants.net