

Bond University
Research Repository



A model for determining the optimal project life span and concession period of BOT projects

Zhang, Xiaoling; Bao, Haijun; Wang, Hongdi; Skitmore, Martin

Published in:
International Journal of Project Management

DOI:
[10.1016/j.ijproman.2016.01.005](https://doi.org/10.1016/j.ijproman.2016.01.005)

Licence:
CC BY-NC-ND

[Link to output in Bond University research repository.](#)

Recommended citation(APA):
Zhang, X., Bao, H., Wang, H., & Skitmore, M. (2016). A model for determining the optimal project life span and concession period of BOT projects. *International Journal of Project Management*, 34(3), 523-532.
<https://doi.org/10.1016/j.ijproman.2016.01.005>

General rights

Copyright and moral rights for the publications made accessible in the public portal are retained by the authors and/or other copyright owners and it is a condition of accessing publications that users recognise and abide by the legal requirements associated with these rights.

For more information, or if you believe that this document breaches copyright, please contact the Bond University research repository coordinator.

A model for determining the optimal project life span and concession period of BOT projects

Abstract:

The concession agreement is the core feature of BOT projects, with the concession period being the most essential feature in determining the time span of the various rights, obligations and responsibilities of the government and concessionaire. Concession period design is therefore crucial for financial viability and determining the benefit/cost allocation between the host government and the concessionaire. However, while the concession period and project life span are essentially interdependent, most methods to date consider their determination as contiguous events that are determined exogenously. Moreover, these methods seldom consider the, often uncertain, social benefits and costs involved that are critical in defining, pricing and distributing benefits and costs between the various parties and evaluating potentially distributable cash flows.

In this paper, we present the results of the first stage of a research project aimed at determining the optimal Build-Operate-Transfer (BOT) project life span and concession period endogenously and interdependently by maximizing the combined benefits of stakeholders. Based on the estimation of the economic and social development involved, a negotiation space of the concession period interval is obtained, with its lower boundary creating the desired financial return for the private investors and its upper boundary ensuring the economic feasibility of the host government as well as the maximized welfare within the project life. The outcome of the new quantitative model is considered as a suitable basis for future field trials prior to implementation. The structure and details

of the model are provided in the paper with a Hong Kong tunnel project as a case study to demonstrate its detailed application.

The basic contributions of the paper to the theory of construction procurement are that the project life span and concession period are determined jointly and the social benefits taken into account in the examination of project financial benefits. In practical terms, the model goes beyond the current practice of linear-process thinking and should enable engineering consultants to provide project information more rationally and accurately to BOT project bidders and increase the government's prospects of successfully entering into a contract with a concessionaire. This is expected to generate more negotiation space for the government and concessionaire in determining the major socioeconomic features of individual BOT contracts when negotiating the concession period. As a result, the use of the model should increase the total benefit to both parties.

Keywords: Project Management; Build-Operate-Transfer, project life span, concession period, optimization.

1. Introduction

The public sector is traditionally responsible for infrastructure development within its jurisdiction and is the sole financier of the projects involved. However, this form of procurement is becoming increasingly outdated due to a perceived over-reliance on public finance, soft budget constraints, deficiencies in managing financial risks, lack of user responsibility and inefficiencies in the construction and operation processes. It is

against this backdrop that, since the 1980s, the private sectors of Western nations are increasingly participating in infrastructure development (Delorme, et al., 1999; Bao, 2009).

The build-operate-transfer (BOT) contractual arrangement is today an important example of such participation. Here, the government provides the private investor/concessionaire with the specific concession period (for brevity, the terms ‘private investors’ and ‘concessionaire’ are used interchangeably). This period, termed the transfer point, is purposely set to enable the concessionaire to collect revenues by operating and maintaining the infrastructure involved before its transference back to the government (Levy, 1996) at the end of the period. The BOT model, therefore, provides an effective way of utilizing private funds in the provision of public infrastructure while affording the opportunity for the use of the innovative technologies, management skills and operational efficiencies possessed by private businesses (Shen et al., 2007).

The BOT approach makes an important contribution to the development of infrastructure both in developed and developing countries and a significant research effort has investigated the methods needed to help in its effective application. Most of this effort focuses on the identification and distribution of risks (e.g. Wibowo and Wilhelm Alfen, 2014), project pricing and finance arrangements (Yang and Meng, 2000; Devapriya, 2002), as well as sustainable organizational structures and characteristics (Lokiec and Kronenberg, 2003). Research has also been conducted on the methods and tactics involved in project financing (Smith, et al., 2004) and still other studies investigating the role of government in BOT-led infrastructure development (e.g., Ye and Tiong, 2000; Kumaraswamy and Zhang, 2001; Wibowo and Wilhelm Alfen, 2014) in

providing an important theoretical basis for their financing, pricing, managing and implementation.

The concession agreement is the core feature of a BOT project, with the concession period being the most essential feature in determining the time span of the various rights, obligations and responsibilities of the government and concessionaire, e.g. ownership and user rights (Qin, 2005; Khanzadi et al., 2012). Ye and Tiong (2010) conducted a systematical introduction of the concession period design, which includes the concession period structure, length of concession period and the incentive scheme. In this paper, the concession period particularly refers to the 'length'. There are many studies of the BOT concession period. Of these, two approaches are apparent: *descriptive research* and *mechanism research*. *Descriptive research* is qualitative - aiming to identify the affecting factors and their relationship with the concession period of a specific BOT project. In particular, it is found that the concession period depends upon the negotiations between government and investors (Shen et al., 2002; Wang et al., 2008; Ye and Tiong, 2010). *Mechanism research*, on the other hand, examines the decision-making methods for determining the concession period by quantitative analysis. Of the many treatments are asset pricing methods (Shen and Wu, 2005; Garvin and Cheah, 2004; Wu et al., 2011; Xu et al., 2012); Fuzzy-Delphi related techniques (Ng et al., 2007; Islam and Mohamed, 2009; Mostafa et al., 2010; Shen and Wang, 2010; Khanzadi and Nasirzadeh, 2012); the Net Present Value (NPV) approach (Shen et al., 2002; Xu and Moon, 2013); bargaining game theory (Shen et al., 2007; Wang et al., 2011; Hanaoka and Palapus, 2012; Song et al., 2012); real option models (Ho and Liu, 2002; Huang and Pi, 2013); and simulation or programming enabled methods, such as genetic algorithm based time-cost tradeoff

analysis (Li et al., 2010), web-based analysis (Zhang, 2011) and simulation with optimization programming (Lai, 2012). Some research deals with uncertainties in the determination of the concession period, e.g. through risk allocation (Carbonara et al., 2009; Wibowo and Kochendörfer, 2005), guarantees, compensation and penalties (Wibowo, 2004; Xiong and Zhang, 2014).

The basic economic consensus in mechanism research concerns financial viability and the benefit/cost allocation between the host government and the concessionaire, much of which is addressed in the literature above. For example, Shen et al. (2002), Zhang (2011) and Fan and Wan (2012) all argue that the concession period needs to be well designed to guarantee an attractive internal return rate for the concessionaire while meeting the budget constraints of the government, given the prediction of the cash flows occurring at different stages in the project life. However, most mechanism research methods to date consider the determination of the concession period and project life span as contiguous events that are determined exogenously. Bao and Wang (2010), however, criticize this by arguing that the concession period and project life span should be treated as interdependent, from both financial and social perspectives.

Moreover, mechanism research methods have seldom considered the social benefits and costs in concession decision-making (e.g. Zhao and Tan, 2009; Bao and Wang, 2010), while it is well recognized that public works projects calculating only project financial outcomes is “absurd” (Foster and Beesley, 1963). The European PPP Expertise Centre’s (2011) report on the assessment of the non-financial benefits of Public Private Partnership (PPP) projects, for example, highlights the importance of incorporating non-financial benefits into the value for money analysis. Consideration of

social benefits and costs is critical in defining, pricing and distributing benefits and costs between the various parties and evaluating potentially distributable cash flows. Zhao and Tan (2009) extend the NPV approach to include the social benefit factor in the concession negotiation. Following their research, Bao and Wang (2010) propose a theoretical model to include social benefits and costs as well as incorporating the interdependency of the project life span and concession period in BOT contract formulations, and this paper is therefore motivated and developed from their work through model development and empirical validation.

The scope of the study here is to develop a comprehensive model for determining the concession period of a BOT project prior to soliciting bids from potential concessionaires, simultaneously taking into account project life span and associated net social benefits. This involves the consideration of the following issues to be covered in the next sections:

1. The inclusion of the concept of net social benefit;
2. The establishment of a new model for determining the concession period; and
3. A discussion of the impact of the uncertainty surrounding the total investment amount and net social benefits affected by the concession period decision.

The resulting model is described, explained and illustrated in the following sections. As will be seen, although the model presented is derived deductively, its founding assumptions are generally intuitively sound and provide a reasonable correspondence with what manifestly happens in practice. As demonstrated in the Case Study, unlike previous efforts, the model's structure represents a major step forward in encapsulating the major variables with real-life project data involved, including net social benefits,

which have been conspicuously neglected hitherto. As observed later, this fulfills the main objective within the defined scope of the research, which is to develop such a model that is sufficiently well advanced to move forward as a precursor to eventual implementation.

2. Modeling process and assumptions

In general, BOT contracts are initiated by the government and entered into with the concessionaires upon completion of a bidding process. A BOT contract usually includes: the project property, project life span, construction period, total investment, expected return during operation period, operation and maintenance costs, concession period and the qualifications of the bidders.

The modeling process starts with the general public sector Benefit/Cost Analysis (BCA) model derived from welfare economics; and the typical private sector corporate finance capital investment evaluation (CIE) model, as generally modified for project financed/BOT-type infrastructure projects. These enable the evaluation of the cash flows occurring throughout the project life cycle, including the total investment involved in construction, operation and maintenance costs, net social benefits and toll income. Next, the NPV for both the government and concessionaire is calculated. Finally, the principle for determining the concession period interval is introduced.

The incentive structures for the BCA and CIE models are fundamentally different, which influences feasibility and the way benefits and costs are distributed, and frames the resulting cash flows and project evaluation by each sector. If the government decides to proceed with private sector participation after concluding a BCA, it has to consider which

project benefits it can assign to the private sector in order to make it attractive for its participation.

The utilization of discounted cash flow, on the other hand, is common to both the BCA and CIE models. Public sector agencies ideally first determine if a (any) project is desirable through the conduct of a BCA based on a "social rate of return" for the particular economic activity, before considering BOTs or other procurement mechanisms that may include private sector participation. How clearly project benefits and costs are defined, priced and distributed between the various parties and how they translate into potentially distributable cash flows is therefore critical in BOTs. Of particular importance are the often-used additional incentives granted to private sector interests in BOT transactions (such as minimum revenue guarantees, taxation incentives, and the like), as these are not costless or resource-neutral to governments and are often hidden off-balance sheet.

Additionally, if a social cost emerges in the concession period, it may dramatically affect either party's benefit profile over the concession period, and the private sector may be allowed to socialize costs or bear them by itself. Also, if there is an unintended consequential benefit to the private sector, it may be expected to share this benefit only to the extent that it is contractually obliged to do so. However, of course, challenges exist in estimating social benefits and costs, and these are discussed in more detail below.

2.1. Optimal project life span and optimal concession period

The project life span covers the construction and operation periods of the concessionaire and the government until the end of the project, and usually is a variable to be determined

by the government. The optimal project life span, T_f , is defined as the ideal period such that, during $[0, T_f]$, the total benefit, including economic and net social benefits, is maximized. \tilde{T}_f denotes the optimal concession period for the private concessionaire. This is the period during which $[0, \tilde{T}_f]$, the highest economic benefit of the project occurs, and enables the upper boundary of the negotiation space from the investors' perspective to be determined.

2.2. Length of construction period and amount of total investment

Following Bao and Wang (2010), assume the length of the construction period is T_0 . T_0 is influenced by the total investment in the construction period, the quality of construction and other contingencies. I denotes total investment, which comprises the total construction cost occurring between the start of construction work and T_0 .

2.3. Annual income during operation period, Q_t

The annual income, Q_t , is mainly realized by collecting toll fees or facility service fees, i.e. $Q_t = q_t$ (the number of payment units per year) \times p_t (the toll fee or service fee). Normally, the government requires p_t to be fixed or confined within a reasonable range. Following Shen and Wu (2005), the cumulative distribution of q_t is assumed to follow a sigmoidal shape, the payments involved being much less in both the earlier and later stages of the project. In other words, the expected shape of q_t resembles an inverted-U curve, reaching its acme when the project operation is experiencing a stable period.

2.4. Operation and maintenance cost, C_t

C_t denotes the cost of managing operations and maintaining the facilities. A reasonable assumption is that shape of C_t is a U curve. Intuitively, in the early years of operation, C_t decreases - as the operation and maintenance teams accumulate experience in keeping up the smooth operation and maintenance of the facilities - until reaching a stable period. The facilities depreciate over time and, after some years of stability, maintenance costs quickly increase.

2.5. Tax, λ

The private investors have to pay tax periodically on the net income, which is equivalent to $\lambda(Q_t - C_t)$, where λ is the tax rate. λ is considered to be 'constant' unless tax-favored conditions are included in the BOT concession contract.

2.6. Net social benefit, V_t

The development of infrastructure projects generally aims to generate social benefits for the local community and society. Riahi-Belkaoui (2004) argue that developing countries with a surplus of labor prefer infrastructure projects that are labor intensive and with a higher employment potential, compared with other projects that provide fewer employment opportunities. Profitability is an important factor affecting the social desirability of a project, making projects with higher profitability more preferable.

The measurement of social benefits includes the financial and non-financial benefits that society is likely to receive from the project (EPEC, 2011). Following the argument in EPEC (2011), many economists regarded social costs as the opportunity

costs of social benefits. The net social benefit is therefore the difference between the two. The evaluation made in terms of the cost-benefit ratio adjusted for time by the social rate of discount.

There are extreme complexities associated with the measurement of social benefits and their distribution over time. Although research into social benefits is still in its infancy, some (albeit imprecise) techniques have been initiated for adoption by companies or institutions in publishing social income statements or social impact reports to back up their investment decisions. EPEC (2011) categorize non-financial social benefits into three aspects of delivery speed, delivery quality and wider social impacts. The former two aspects can be measured financially by referring to the performance of similar projects, while the latter is more descriptive and is assigned certain weights. Although lacking in rigor to some extent, this at least allows the formation of total weighted non-financial benefits. Therefore, the net social benefits in the model are obtained in two steps: 1) estimation of the social benefits of projects to local businesses; and 2) evaluation of the social impact and assignment of an appropriate weight.

2.7. Private sector financing

Ordinarily, the concessionaire involves several participants or companies. Their available initial investment is usually limited and other financing arrangements are necessary. It is assumed that the initial investment, I_0 , accounts for α of the total investment I , which represents what may technically be considered as the equity investment (if the project is a separately incorporated entity, whether public or private) and reflects a periodic cash outflow as might be expected with servicing a debt over its term to maturity. According

to existing BOT project practice in China, the government usually requires that $\alpha \geq 30\%$ (Wang et al., 2008). The remaining amount of construction investment is mainly raised by loans, which the concessionaire has to repay in a prescribed way. The return rate of the loan is denoted by R , which has a significant negative impact on NPV, i.e. $-(1 - \alpha)IR$.

2.8. Expected average return rate and investor's internal return rate

The expected average return rate, $R(t)$, is a time-dependent variable covering the period from the start of construction to a certain time t . The internal return rate, R_1 , is the lowest return rate required by the concessionaire. Both in Shen et al.'s (2002) alternative concession model (ACM) model and Fan and Wan (2010)'s optimal concession model, R_1 determines the lower boundary of the negotiation space of the concession period. Hence $R(T_C) \geq R_1$, where T_C denotes the concession period.

2.9. Interest rate

As with Fan and Wan (2010), compound interest is used due to the long time span involved in most infrastructure projects. However, uncertainty surrounding future interest rates increases the risks involved. In order to clearly articulate the model, and without loss of generality, a simplified version is used in the illustrative example, where the interest rate is assumed to be fixed and all the data affected by time is discounted.

3. Determining the concession period

The government's focus is on total benefit, including both economic and net social benefits, occurring during the whole project life, so that

$$NPV_G(T_f) = -(1-\alpha)IR - I + \int_{T_0}^{T_f} (Q_t + V_t - C_t) dt \quad (1)$$

The concessionaire is assumed to always focus on the economic benefits involved, so

$$NPV_G(\tilde{T}_f) = -(1-\alpha)IR - I + \int_{T_0}^{\tilde{T}_f} (1-\lambda)(Q_t - C_t) dt \quad (2)$$

where T_f is the optimal project life span for the government and \tilde{T}_f is the optimal concession period for the concessionaire. (1) and (2) differ in two respects. First, the time span in (2) is from T_0 to \tilde{T}_f , but from T_0 to T_f in (1). Second, the net social benefit is included only in (1). As given, the two equations are expressed in continuous form. In discrete form, the integration sign is simply replaced by a summation sign.

The derivative of NPV over time has an economic meaning. That is, the concessionaire (or the government) always benefits more by continuing with the BOT project, unless the marginal economic benefit (or total benefit) is less than or equal to 0. This leads to the formulation of \tilde{T}_f (the optimal concession period for the concessionaire) and T_f (the optimal project life span) as shown in Fig 1 and

$$\tilde{T}_f = \inf\{t > T_0 : Q_t - C_t \leq 0\} \quad (3)$$

$$T_f = \inf\{t > T_0 : Q_t + V_t - C_t \leq 0\} \quad (4)$$

where the infimum denotes the need calculate the earliest time for the cessation of marginal revenue. Considering possible discrete versions of the model, the use of infimum is still better than the minimum.

<Insert Fig 1 here>

This establishes a model for determining the concession period interval according to the principle of creating a bigger cake for project stakeholders to share while simultaneously guaranteeing an attractive return for the concessionaire. In other words, the project life span should end at T_f , as expressed in (4), so that the total benefit is maximized and the internal return rate required by the concessionaire is sufficient to make the BOT project attractive for concessionaires. That is

$$R(T_C) \geq R_1 \Leftrightarrow NPV_p(T_C) \geq I(1 + R_1)^{T_C} - I \quad (5)$$

The BOT procurement system is particularly useful in helping fund the infrastructure projects of governments that lack sufficient finance. Therefore, it is reasonable to assume that the government's contribution should not jeopardize its financial situation:

$$NPV_p(T_C) \leq NPV_p(T_f) \quad (6)$$

As shown in Fig 1, the upper boundary of the concession period is T_{CU} , as a transfer point before T_{CU} will generate a positive economic benefit for the government during the whole of the post-transfer period and *vice versa*.

Therefore, the benefit space of the concessionaire corresponds with the negotiation space for the concession period:

$$\begin{cases} T_C \in [T_{CL}, T_{CU}] \\ T_{CL} = \inf \{t > T_0 : R(t) \geq R_1\} \\ T_{CU} = \sup \{t \leq \tilde{T}_f : NPV_p(T_{CU}) \leq NPV_p(T_f)\} \end{cases} \quad (7)$$

Of course, although all the equations are presented as continuous functions, the model is equally appropriate for discontinuous and discrete functions (and the reason for using “inf” and “sup” instead of minimum and maximum).

Note that there will be a feasible solution if and only if $T_{CL} \leq T_{CU}$ in (7). However, exceptional situations may occur, such as when the economic benefits reduce very rapidly in the later stages of the project while considerable net social benefits remain (Bao and Wang, 2010). In this case, the government has at least two choices. One is to abandon or redesign the project. The other is to shorten the project life span in order to ensure the project is still profitable both for the government and concessionaire. In this situation, the project life span should satisfy:

$$T_f = \sup \{t > T_{CU} : NPV_p(T_{CU}) \leq NPV_p(t)\} \quad (8)$$

(where the sign “ \leq ” becomes “ $=$ ” when the model is continuous).

In conclusion, determining the concession period is viewed as an optimization problem such that

$$\begin{aligned}
& \text{Max}_{(T_{CL}, T_{CU}, T_f)} : NPV_G(T_f) = -(1-\alpha)IR - I + \int_{T_0}^{T_f} (Q_t + V_t - C_t) dt \\
& \text{s.t.} \left\{ \begin{aligned}
& NPV_p(t) = -(1-\alpha)IR - I + \int_{T_0}^t (1-\lambda)(Q_s - C_s) ds \\
& T_{CL} = \inf \{t > T_0 : R(t) \geq R_1\} \\
& T_{CU} = \sup \{t \leq \tilde{T}_f : NPV_p(T_{CU}) \leq NPV_p(T_f)\} \\
& T_{CL} \leq T_{CU}
\end{aligned} \right. \quad (9)
\end{aligned}$$

with solutions (given in $f\{t > T_0 : R(t) \geq R_1\}$) always existing

$$\text{(a)} \quad \left\{ \begin{aligned}
& T_f = \inf \{t > T_0 : Q_t + V_t - C_t \leq 0\} \\
& T_C \in [T_{CL}, T_{CU}] \\
& T_{CL} = \inf \{t > T_0 : R(t) \geq R_1\} \\
& T_{CU} = \sup \{t > \tilde{T}_f : NPV_p(T_{CU}) \leq NPV_p(T_f)\}
\end{aligned} \right. \quad (10)$$

when $T_{CL} \leq T_{CU}$ and

$$\text{(b)} \quad \left\{ \begin{aligned}
& T_f = \{t > T_{CL} : NPV_p(T_{CL}) \leq NPV_p(t)\} \quad \textit{otherwise} \\
& T_C = T_{CL} = \inf \{t > T_0 : R(t) \geq R_1\}
\end{aligned} \right. \quad (11)$$

In view of the difficulties involved in measuring net social benefit, an additional scenario analysis may generate further useful information and be helpful in improving the decision-making involved in BOT concession contracts. Since the definition of net social benefit is still vague and its measurement lacks accuracy, it is necessary to evaluate it on several levels based on the economic benefit brought to the local community. For instance, the decision concerning the length of concession period is affected to some extent by the magnitude (great, fair or small) of the social benefit. In the following illustrative example of a toll highway BOT project, we will demonstrate the workings of

the concession determining model presented in this paper and how the scenario analysis of net social benefit can help improve the decision making process.

4. Illustrative example: the Hong Kong Eastern Harbour Tunnel (EHT) project

The application of the model is demonstrated through a BOT project carried out in Hong Kong, the Eastern Harbour Tunnel (EHT). The concession for the construction and operation of the Eastern Harbour Tunnel (EHT) was awarded to the New Hong Kong Tunnel Company Limited in August, 1986. The concession period is 30 years and the tunnel will be transferred to the government in 2016. The project is being operated smoothly but its financial performance is below expectations. This is because the internal return rate for private investors was 13.4% in 2011, which is less than the expected rate of 15~17%. The details of the project are provided below, with accurate statistical data being retrieved directly from annual reports issued by the New Hong Kong Tunnel Company Limited. Due to the limited availability of information, relevant statistical data for earlier years are estimated from the EHT annual report. The units are in HKD million unless otherwise stated.

It is known that the risk-free interest rate in Hong Kong is equivalent to the yield of short term US bonds, i.e. 0.2% (Chau, 1997). The impact power of interest rates in 30 years is about 6.1%, which can be ignored. The effect of the interest rate is therefore not considered in this case study.

<Insert Fig 2 here>

4.1. Construction period and total investment

The length of construction period $T_0=37$ months and the total investment is $I=\$2326$ with debt of $\$1576$ ($\$1464$ in the construction period and $\$112$ in the early years of the operation period) and equity of $\$750$.

4.2. Annual income in the operation period, Q_t

According to the annual report, 96% of the annual income, Q_t , is generated from the toll charge in the operation period up to 2011. The toll price was raised by 50% and 66.7% on 1 January 1998 and 1 May 2005 respectively. As Fig 2 shows, the overall shape of income follows an inverted-U curve and with a significant increase of the income over time, mainly as a result of the increases in toll price. Assume $Q_t = at^2 + bt + c (a < 0)$, where $t=0$ means 'year 1989', $t=1$ means 'year 1990' etc. Incorporating all the income data from 2005 to 2011, the minimized square error parameters are $a = -0.8694$, $b = 54.9040$, $c = 0.2117$. Hence:

$$Q_t = -0.8694 t^2 + 54.9040 t + 0.2117, \quad t \geq 16 \quad (12)$$

4.3. Operation and maintenance costs, C_t

As mentioned above, the operation and maintenance (O&M) costs are viewed as having an upward trend, yet with a very slow slope in the EHT project. Assume $C_t = at^2 + bt + c (a > 0)$. Incorporating all the O&M costs data from 2005 to 2011, the minimized square error parameters are $a = 0.3815$, $b = -6.4306$, $c = 194.2966$. Hence:

$$C_t = 0.3815 t^2 - 6.4306 t + 194.2966, \quad t \geq 16 \quad (13)$$

4.4. Net social benefit, V_t

Traditionally, the method of measuring the benefits of transport development to the society include national income increases, producers' cost savings, shippers' cost savings and rents/land value increases (ESCAP and AITD, 2009). A bigger traffic volume also occurs, along with an increased willingness to pay a greater transportation fee, with the improved residents' income situation of the local community. Considering the leverage effect of the wider social impacts, it is assumed here that the net social benefit is an approximate proportion of the annual income for the operation period:

$$V_t = \beta Q_t \quad : \quad t \geq T_0, \beta > 0 \quad (14)$$

where β is the proportion coefficient for use in the scenario analysis.

4.5. Concessionaire finance

In the EHT project, all debt has been paid off by 2002 with a total interest of \$942, i.e. the return rate of financing is $R=942/1576=59.77\%$ for the loan of 16 years. This is the financial cost to the concessionaire, i.e. $-(1-\alpha)IR=942$. The percentage of equity over total investment is $\alpha=750/2326=32.24\%$.

4.6. Concessionaire internal return rate

In 1997 and 2005, two arbitration events occurred that resulted in the fair internal return rate of the concessionaire becoming 15~17%. Hence, we assume the discounted return rate R_1 to be 15%.

4.7. Solution process

Optimal project life and concession period for the concessionaire

As the functions Q_t , V_t and C_t are continuous in this demonstration, (3) and (4) can be simplified by solving the two separate equations

$$Q_t - C_t = 0 \text{ and } Q_t + V_t - C_t = 0 \quad (15)$$

Substituting (11), (12), (13) and (14) into (15) gives

$$T_f = \begin{cases} 50.39, & \beta = 0.5 \\ 53.10, & \beta = 1.0, \text{ and } \tilde{T}_f = 45.63. \\ 56.09, & \beta = 2.0 \end{cases}$$

The optimization problem ($\beta = 1.0$)

According to the annual reports of the EHT project, the accumulated net income after tax is \$5577 from 1989 to 2011. The cash flow from 2005 to 2011 is accessible from the annual reports, with a total net revenue of \$3603. The remaining \$1974 is assumed to be distributed linearly from 1989 to 2004. The net revenue was \$0 in 1989, \$17.55 in 1990, \$35.10 in 1991 to \$263.25 in 2004.

Substituting the value of estimated cash flow, total investment (\$2326) and internal return rate $R_1 = 15\%$ into (5), it is found that $T_{CL} = 25.64$ by July, 2014.

Substituting (2) into (7) and the value of T_f and \tilde{T}_f into (5) results in $=1T_{CU} = 37.15 > T_{CL}$.

Therefore, the solution (a) in (10) is the solution to the optimization problem (9).

$$\begin{cases} T_f = 53.10 \\ T_C \in [25.64, 37.15] \end{cases}$$

This result indicates that the project life should expire around 2042 in order to obtain the optimal total benefits, including economic and net social benefits. The concession period interval obtained in this model is [25.64, 37.15], i.e. between 2014 and 2026. This should encourage private investors to be involved in the project, as their internal return rate is between 15.0% in 2014 and 15.6% in 2026. The actual BOT concession of the EHT project expires in August 2016 and the internal return rate is 13.4% in 2011.

From the above analysis, the New Hong Kong Tunnel Company Limited appears to be under pressure to keep the tunnel operating smoothly in order to achieve the desired internal return rate of 15%. This explains why, since 2010, the New Hong Kong Tunnel Company Limited has applied for another round of toll price rises. As for the government, it is able to create considerable benefits for the community without unduly jeopardizing its financial situation, as transferring the BOT project at any time before T_{CU} can generate positive economic benefit for the government.

4.8. Uncertainty of net social benefits

Because the measurement of net social benefits is inaccurate, an additional scenario analysis following Zhao and Tan [40] is employed here in order to improve the validity of the model. If the net social benefit is lower, e.g. $0 < \beta < 1$, the project life is truncated according to (4). In this situation, the concession period interval is lengthened as the upper boundary of the concession period moves from T_{CU} to $T_{CU}^{(1)}$ (as shown in Fig 2), and more negotiation space is therefore created for the government and private investors.

When net social benefit is relatively higher, e.g. $\beta > 1$, the project life is lengthened as the total benefit continues to grow at T_f . The resulting upper boundary of the negotiation space will then be $T_{CU}^{(2)}$, which is smaller than T_{CU} , as shown in Fig 2. When net social benefit increases, the upper boundary of the concession period moves leftwards as shown in the Fig 2. In this case there are three different possible solutions. First, when $T_{CL} < T_{CU}$ is still satisfied, the concession period interval continues to exist although it becomes shorter. Second, when $T_{CL} \approx T_{CU}$, the concession period interval degenerates into one time point. This is the situation discussed by Fang and Li (2010), and is now reflected in the model. Third, in the situation when $T_{CL} > T_{CU}$, solution (a) in (10) no longer applies, but instead solution (b) in (11) is appropriate and the optimal project life T_f is obtained by (8) instead of (4). This means that the government has to sacrifice the total benefit of the BOT project in order to ensure that no extra financial deficit will be incurred by the project. Another possible option for the government is to provide financial compensation for the project so a larger total benefit is created for the community.

<Insert Fig 3 here>

5. Conclusions and limitations

Most research to date assumes the project life span and cash flows are pre-given, and the concession period of BOT projects is determined exogenously by policy. The model presented in this paper provides a more scientific approach to improve the accuracy, efficiency and effectiveness of concession period design by simultaneously determining both the BOT concession period interval and project life span prior to soliciting bids from

potential concessionaires, by maximizing the combined benefits of stakeholders while guaranteeing an attractive return for the concessionaire. In addition to the economic benefits involved, the concept of net social benefits is incorporated into the quantification of the government's total benefit. This is echoed with calls from academia and industry to integrate social benefits into Value for Money analysis framework.

In addition to contributing to construction procurement theory, the dynamic and interdependent features of concession period determination in the proposed model provides theoretical reference beyond the current practice of linear-process thinking. The optimization algorithm could be realized through computer software, making the computer-aid non-linear determination process easier for practitioners to follow. Also, the model should enable engineering consultants to provide project information more rationally and accurately than hitherto when issuing BOT project bidding notices, and therefore increase the chance of the government and concessionaire of successfully forming a BOT contract. This should generate more negotiation space for the government and concessionaire in determining the major socioeconomic features of individual BOT contracts when negotiating the contractual concession period. Later, when there is sufficient related data and experience, the negotiation space can be more accurate and considerate, and the efficiency of the negotiation process improved.

In terms of limitations, the model presented is derived deductively and is therefore only as good as the assumptions upon which it is based. However, as explained in the paper, most of the assumptions made are intuitively sound and reasonably correspond with what manifestly happens in practice. As demonstrated in the illustrative example, unlike previous efforts, the model's structure represents a major step forward in

encapsulating all the major variables involved including net social benefits, which have been conspicuously missing hitherto.

Some aspects of the model would also benefit from further consideration, e.g., the uncertainty surrounding the amount of total investment. The future cash flows of some infrastructure projects are likely to be affected by the total investment involved, as higher investment may lead to better facilities or quality of services. Further information concerning the impact of total investment on Q_t , C_t , and V_t would also be beneficial. In addition, placing R as a lump sum as an outflow outside the integral in (1) and (2) is a simplification that ignores the periodic cash flow implications of debt variables over loan life (principal inflows, debt servicing outflows, principal repayments) and is in need of consideration in future work as their size in private sector financed BOT transactions can be big enough to dominate DCF outcomes, especially in the return on private sector equity invested.

In this respect, it is important to recognize the institutional realities affecting project cash flows. The loan contract in a BOT-type structure typically is structured following project finance principles, which aim to achieve at least two clear objectives. First, based on total debt capacity derived from the size and profile of expected periodic cash flows over the asset's expected operating life, lenders aim to advance as much debt as possible to the entity that is to "own" the asset for the concession period (typically 50-90% of total investment). Secondly, it aims to minimize the risk of distress of the entity in servicing the debt - which requires critical consideration of the cash flow profile of expected earnings. Debt inflows during construction creates a "flow-through" condition, i.e. only the equity investment shows up as (net) outflows over the project development phase -

this is typical in private sector finance with BOTs. Following this, growth in inflows, particularly in the earlier years of operation, will be contractually constrained by prioritized allocation of cash flows, with debt servicing typically the second or third priority, thus moving significant net inflows to equity investors into later years. In combination, these factors make it unlikely in practice that a BOT project's net cash flow profile can be as smooth as assumed here - they are most likely stepped functions.

In order to advance the models developed in this paper into practice, therefore, further work is needed on the treatment of discount rates and interest rates and associated assumptions concerning the influence of the debt contract on cash flow profile with a less than the minimal interest rate structure as assumed here; while all debt-related periodic cash flows need to be subject to time-value considerations. Also to be noted is that debt influences cash flows differentially in private and public sector applications. If the public sector entity is not budget constrained, there may be no project debt at all and no private sector participation, and so the BCA result could be neutral to debt. If there is substantial debt in the private sector entity, which is actually the point of the BOT procurement system, it will affect the cash flows and DCF return profoundly (note that EHC's in the illustrative example are in fact leveraged private sector returns). In short, if debt is in the project entity's capital structure, it fundamentally alters the cash flows and reasons for proceeding with the project, making interest rates and the cash flow profile of significant importance.

Finally, it should also be noted that the model does not yet incorporate contingency and incentive mechanisms. Of course, some contingences in the construction and operation periods profoundly affect the attitudes and performance of the government and

concessionaire. Also, in response to the future uncertainties both in the construction and operation periods, specific incentive mechanisms could be employed to share the possible pains/gains for the sake of project viability. This can be accommodated to some extent by simulation methods. Indeed, to be ultimately of use to practitioners, it will be necessary to develop computer software to automate much of the processes demanded by the model. In addition, a more intensive study of the relationships between different types of risks, concession periods, total investment and project life spans is likely to be incorporated into the model in order to produce further improvement.

Acknowledgement

The work described in this paper was fully supported by a grant from the College of Liberal Arts and Social Sciences, City University of Hong Kong (Project No. 9610282)

References

- Bao, H.J., 2009. Decision method for concession period of infrastructure BOT type contract using game theory. *Journal of Industrial Engineering and Engineering Management* 23 (4), 139-141. (In Chinese)
- Bao, H.J., Wang, H.D., 2010. A determining model on total investment, project life, and concession period interval for BOT projects. *Proceedings of Computer Sciences and Convergence Information Technology (ICCIT), 5th International Conference IEEE*, pp. 781-785.

- Carbonara, N., Costantino, N., Pellegrino, R., 2014. Concession period for PPPs: A win-win model for a fair risk sharing. *International Journal of Project Management* 32 (7), 1223-1232.
- Delorme, C.D., Thompson, H., Warren, R.S., 1999. Public infrastructure and private productivity: a stochastic-frontier approach. *Journal of Economics* 21 (3), 563-567.
- Devapriya K.A.K., Pretorius F., 2002. The economic implications of project finance arrangements for BOO/BOT power projects in Asia. *Journal of Construction Research* 3(2), 285-309.
- Economic and Social Commission for Asia and the Pacific (ESCAP), Asian Institute of Transport Development (AITD), 2009. Evaluation of Infrastructural Interventions for Rural Poverty Alleviation. United Nations report.
- Fan, R., Wan, L., Wang, X., 2012. Optimal concession period in the built-operate-transfer project under multiple uncertain factors. *Transportation Science & Engineering* 36 (2), 311-314.
- Garvin, M.J., Cheah C.Y., 2004. Valuation techniques for infrastructure investment decisions. *Construction Management and Economics* 22 (4), 373-383.
- Hanaoka, S., Palapus, H.P., 2012. Reasonable concession period for build-operate-transfer road projects in the Philippines. *International Journal of Project Management* 30 (8), 938-949.
- Huang, Y.L., Pi, C.C., 2013. Real-option valuation of build-operate-transfer infrastructure projects under performance bonding. *Journal of Construction Engineering and Management* 140 (5), 04013068.

- Ho, S.P., Liu, L.Y., 2002. An option pricing-based model for evaluating the financial viability of privatized infrastructure projects. *Construction Management and Economics* 20 (2), 143-156.
- Islam, M.M., Mohamed, S., 2009. Bid-winning potential optimization for concession schemes with imprecise investment parameters. *Journal of Construction Engineering and Management* 135 (8), 690-700.
- Khazadi, M., Nasirzadeh, F., Alipour, M., 2012. Integrating system dynamics and fuzzy logic modeling to determine concession period in BOT projects. *Automation in Construction* 22, 368-376.
- Kumaraswamy, M.M., Zhang, X., 2001. Governmental role in BOT-led infrastructure development. *International Journal of Project Management* 19, 195-205.
- Lai, J., 2012. Concession period determination and adjustment for BOT transportation projects. MPhil Thesis, Hong Kong University of Science and Technology.
- Levy, S.M., 1996. *Build, Operate, Transfer: paving the way for tomorrow's infrastructure*. J. Wiley & Sons, pp. 18-21.
- Li, H., Al-Hussein, M., Lei, Z., 2010. Incentive genetic algorithm based time-cost trade-off analysis across a build-operate-transfer project concession period. *Canadian Journal of Civil Engineering* 38 (2) , 166-174.
- Lokiec, F., Kronenberg, G., 2003. South Israel 100 million m³/y seawater desalination facility: build, operate and transfer (BOT) project. *Desalination* 156, 29-37.
- Mostafa, K., Farnad, N., Majid, A., 2010. Using Fuzzy-Delphi technique to determine the concession period in BOT project. *Proceedings in Information and Financial Engineering (ICIFE)*, 2nd IEEE International Conference, pp. 442-446.

- Ng, S.T., Xie, J., Skitmore, M., Cheung, Y.K., 2007. A fuzzy simulation model for evaluating the concession items of public–private partnership schemes. *Automation in Construction* 17(1), 22-29.
- Qin, X., 2005. Quantitative concession period model for build operate transfer contract project on CAPM. *Journal of Industrial Engineering and Engineering Management* 19 (2), 60-63. (in Chinese)
- Riahi-Belkaoui, A., 2004. *Accounting theory*. Cengage Learning EMEA.
- Ruizheng, F., Li, W., 2010. The optimal concession period in the Built-Operate-Transfer project. *Proceedings in the 4th International Conference, Management of e-Commerce and e-Government (ICMeCG)*, pp. 223-227.
- Shen, J., Wang, S., 2010. The decision-making model of TOT concession period based on fuzzy stochastic petri net. *Proceedings in the International Conference of Management and Service Science (MASS)*, pp. 1-4.
- Shen, L., Wu, Y., 2005. Risk concession model for build/operate/transfer contract projects. *Journal of Construction Engineering and Management* 131(2), 211-220.
- Shen, L., Bao, H., Wu, Y., 2007. Using bargaining-game theory for negotiating concession period for BOT-type contract. *Journal of Construction Engineering and Management* 133 (5) , 385-392.
- Shen, L., Li, H., Li, Q., 2002. Alternative concession model for build operate transfer contract projects. *Journal of Construction Engineering and Management* 128 (4), 326-330.
- Smith, N., Zhang, H., Zhu, Y., 2004. The Huaibei power plant and its implications for the Chinese BOT market. *International Journal of Project Management* 22 (5), 407-413.

- Song, J., Wang, X., Wang, D., Dai, D., 2012. Decision-making model of concession price and period for traffic BOT projects under elastic demand. Proceedings of the 5th International Conference of Business Intelligence and Financial Engineering (BIFE), pp. 550-555.
- Wan, X., Wang, M., Chen, H., 2008. Operation and management of BOT projects. Beijing: Chinese Architectural Industry Press . (in Chinese).
- Wang, Y., Tang, W.B., Zhong, S.S., 2011. The dynamic game model of the decisions of non-profitable government investment project during its concession period. Journal of Jishou University (Social Sciences Edition) 6, 021.
- Wibowo, A., 2004. Valuing guarantees in a BOT infrastructure project. Engineering, Construction and Architectural Management 11(6), 395-403.
- Wibowo, A., Kochendörfer, B., 2005. Financial risk analysis of project finance in Indonesian toll roads. Journal of Construction Engineering and Management 131(9), 963-972.
- Wibowo, A., Wilhelm Alfen, H., 2014. Identifying macro-environmental critical success factors and key areas for improvement to promote public-private partnerships in infrastructure: Indonesia's perspective. Engineering, Construction and Architectural Management 21(4), 383-402.
- Wu, M., Chau, K.W., Shen, Q., Shen, L.Y., (2011), Net asset value–based concession duration model for BOT contracts. Journal of Construction Engineering and Management 138(2), 304-308.

- Xiong, W., Zhang, X., 2014. Concession renegotiation models for projects developed through Public-Private Partnerships. *Journal of Construction Engineering and Management* 140(5), 04014008.
- Xu, J.W., Moon, S., 2013. A stochastic revenue and cost model for determining a BOT concession period under multiple project constraints. *Journal of Management in Engineering* 30 (3), 04014011.
- Xu, Y., Sun, C., Skibniewski, M.J., Chan A.P., Yeung J.F., Cheng H., 2012. System Dynamics (SD)-based concession pricing model for PPP highway projects. *International Journal of Project Management* 30 (2), 240-251.
- Yan, H., Meng, Q., 2000. Highway pricing and capacity choice in a road network under a build-operate-transfer scheme. *Transportation Research Part A: Policy and Practice* 34 (3), 207-222.
- Ye, S., Tiong, R., 2000. Government support and risk-return tradeoff in China's BOT power projects. *Engineering Construction and Architectural Management* 7 (4), 412-422.
- Ye, S., Tiong, R., 2010. The effect of concession period design on completion risk management of BOT projects. *Construction Management and Economics* 21 (5), 471-482.
- Yu C.Y., Lam K.C., (2013). A Decision Support System for the determination of concession period length in transportation project under BOT contract. *Automation in Construction*. 31, 114-127.
- Zhang X., (2011). Web-based concession period analysis system. *Expert Systems with Applications*. 38(11), 13532-13542.

Zhao, L., Tan, D., (2009). Analysis of concession decision-making on BOT projects based on social benefit. *Journal of Industrial Engineering and Engineering Management*. 23(2), 125-130 (in Chinese).




Figure 1 NPV curves and determination of the concession period




Figure 2 Cash flows of the EHT project (source: annual report of the Eastern Harbour Tunnel project, 2011)




Fig 3 The impact of the uncertainty of social benefit on concession period